MAULANA MUKHTAR AHMAD NADVI TECHNICAL CAMPUS

Approved by AICTE, New Delhi Recognised by DTE, Mumbai & Govt. of Maharashtra Affiliated to Savitribai Phule Pune University, Pune Mansoora P.O.Box. No.144, Malegaon, Dist. Nashik Pin: 423203 (MS) | Contact : +91-9028254526 Email: info@mmantc.edu.in | www.mmantc.edu.in



Annual Analysis Report on Staff Feedback (2022-23)

This report presents an analysis of Staff feedback response collected.

(A). Analysis of data in Tabular form:

•		Rating							
Sr. No	How would you rate the following?	Poor	Satisfactory	Good	Very Good	Excellent			
1	Campus Maintenance	0	0	4	10	6			
2	Usage of ICT facilities in the classrooms	0	0	7	6	7			
3	Canteen facilities: Food Quality, Ambience and Support Staff	0	0	3	11	5			
4	Do the girls feel secure on the campus	0	0	1	5	14			
5	Drinking water facility	0	0	2	8	10			
6	Washroom Cleanliness and Maintenance	0	1	10	0	09			
7	Sports facilities in the college	0	1	5	10	04			
8	Transportation provided by the college adequate	1	1	4	11	03			
9	Were the laboratories/workshops adequately equipped and properly maintained	0	0	1	12	07			
10	The overall environment of the college	0	0	0	6	14			

IQAC Coordinator
Maulana Muntar Ahmad Nadvi
Technical Campus,
Malegaon Dist. Nashik -423203






PRINCIPAL

MAULANA MUKHTAR AHMAD NADVI TECHNICAL CANTOS

"MANSOORA", MALEGAON, Dist. Nashik

(B). Analysis of overall data in Graphical form:

1. Bar Graph



2. Pie Chart



MAULANA MUKHTAR AHMAD NADVI TECHNICAL CAMPUS

Approved by AICTE, New Delhi Recognised by DTE, Mumbai & Govt. of Maharashtra Affiliated to Savitribai Phule Pune University, Pune

Mansoora P.O.Box. No.144, Malegaon, Dist. Nashik Pin: 423203 (MS) | Contact : +91-9028254526 Email: info@mmantc.edu.in | www.mmantc.edu.in

MMANTO

Annual Analysis Report on Alumni Feedback (2022-23)

This report presents an analysis of Alumni feedback response collected.

(A). Analysis of data in Tabular form:

Sr.	How would you rate the following			Ratin	g	
No.	How would you rate the following?	Poor	Satisfactory	Good	Very Good	Excellent
1	Campus Maintenance	0	5	1	1	15
2	Usage of ICT facilities in the classrooms	0	6	3	11	1
3	Canteen facilities: Food Quality, Ambience and Support Staff	0	8	7	4	1
4	Do the girls feel secure on the campus	0	2	5	7	9
5	Drinking water facility	0	5	14	1	0
6	Washroom Cleanliness and Maintenance	0	0	19	2	0
7	Sports facilities in the college	3	8	3	3	3
8	Transportation provided by the college	3	9	6	2	0
9	Were the laboratories/workshops adequately equipped and properly maintained	2	6	5	4	3
10	The overall environment of the college	0	1	3	7	11

IQAC Coordinator

Maulana Mutantar Ahmad Nadvi

Technical Compus,

Malegaon Dist. Nashik -423203




PRINCIPAL

MAULANA MUKHTAR AHMAD NADVI TECHNICAL CANOB


"MANSOORA", MALEGAON, Dist. Nashik

Analysis of overall data in Graphical form:

1. Bar Graph



2. Pie Chart



MAULANA MUKHTAR AHMAD NADVI TECHNICAL CAMPUS

Approved by AICTE, New Delhi Recognised by DTE, Mumbai & Govt. of Maharashtra Affiliated to Savitribai Phule Pune University, Pune

Mansoora P.O.Box. No.144, Malegaon, Dist. Nashik Pin: 423203 (MS) | Contact : +91-9028254526 Email: info@mmantc.edu.in | www.mmantc.edu.in



Annual Analysis Report on ParentsFeedback (2022-23)

This report presents an analysis of Parents feedback response collected.

(A). Analysis of data in Tabular form:

Sr.	How would you rate the following?			Ratin	g	
No	How would you rate the following:	Poor	Satisfactory	Good	Very Good	Excellent
1	Campus Maintenance	4	3	8	1	4
2	Usage of ICT facilities in the classrooms	3	4	6	7	0
3	Canteen facilities: Food Quality, Ambience and Support Staff	0	0	15	3	2
4	Do the girls feel secure on the campus	0	4	6	7	3
5	Drinking water facility	2	9	1	2	6
6	Washroom Cleanliness and Maintenance	4	4	0	10	2
7	Sports facilities in the college	3	3	2	3	9
8	Transportation provided by the college adequate	1	0	5	4	10
9	Were the laboratories/ workshops adequately equipped and properly maintained	0	4	6	9	3
10	The overall environment of the college	0	4	11	6	0

IQAC Coordinator
Maulana Mukhtar Ahmad Nadvi
Technical Campus,
Malegaon Dist. Nashik -423203



3


PRINCIPAL

MAVLANA MUKHTAR AHMAD NADVI TECHNICAL CAMPS


"MANSOORA", MALEGAON, Dist. Nashik

(B). Analysis of overall data in Graphical form :

1. Bar Graph



2. Pie Chart



MANSCORA

MAULANA MUKHTAR AHMAD NADVI TECHNICAL CAMPUS

Approved by AICTE, New Delhi Recognised by DTE, Mumbai & Govt. of Maharashtra Affiliated to Savitribai Phule Pune University, Pune

Mansoora P.O.Box. No.144, Malegaon, Dist. Nashik Pin: 423203 (MS) | Contact : +91-9028254526 Email: info@mmantc.edu.in | www.mmantc.edu.in



Annual Analysis Report on StudentsFeedback (2022-23)

This report presents an analysis of Students feedback response collected.

(A). Analysis of data in Tabular form:

Sr.	How would you got the following	Rating								
No	How would you rate the following?	Poor	Satisfactory	Good	Very Good	Excellent				
1	Campus Maintenance	1	3	10	4	2				
2	Usage of ICT facilities in the classrooms	1	6	8	3	2				
3	Canteen facilities: Food Quality, Ambience and Support Staff	1	4	10	4	1				
4	Do the girls feel secure on the campus	1	2	4	6	7				
5	Drinking water facility	0	6	3	8	3				
6	Washroom Cleanliness and Maintenance	2	4	5	7	3				
7	Sports facilities in the college	3	3	1	0	4				
8	Transportation provided by the college adequate	3	4	3	2	3				
9	Were the laboratories/ workshops adequately equipped and properly maintained	1	6	6	4	3				
10	The overall environment of the college	0	3	6	5	4				


IQAC Coordinator Maulana Mukintar Ahmad Nadvi Technical Campus, Maiegaon Dist. Nashik -423203




PRINCIPAL
MAULANA MUKHTAR AHMAD NADVI TECHNICAL CANORA", MALEGAON, Dist. Nashik

(B). Analysis of overall data in graphical form:

1. Bar Graph



2. Pie Chart



MAULANA MUKHTAR AHMAD NADVI TECHNICAL CAMPUS

Approved by AICTE, New Delhi Recognised by DTE, Mumbai & Govt. of Maharashtra Affiliated to Savitribai Phule Pune University, Pune

Mansoora P.O.Box. No.144, Malegaon, Dist. Nashik Pin: 423203 (MS) | Contact : +91-9028254526 Email: info@mmante.edu.in | www.mmante.edu.in



FEEDBACK ON FACILITIES (2022-2023)

Name: Z	ya T	anze	ا	Cont	act No:	774	14 92 13 83
Student Alumni			Par	Parent Staff			Staff
Scale	1	2	2		4		5
Descriptors	Poor	Satisfa	actory	Good	Very C	iood	Excellent

S.No	Howard			Ratin	g	
3.110	How would you rate the following?	1	2	3	4	5
1	Campus Maintenance				-	•
2	Usage of ICT facilities in the classrooms					
3	Canteen facilities: Food Quality, Ambience and Support Staff				~	
4	Do the girls feel secure on the campus					/
5	Drinking water facility					-
6	Washroom Cleanliness and Maintenance					/
7	Sports facilities in the college				/	
8	Transportation provided by the college adequate					
9	Were the laboratories/ workshops adequately					
10	equipped and properly maintained					
10	The overall environment of the college				-	

MALEGAON, Dist. Nashik

NAME: Ziya Tanzeel

DEPARTMENT: Mechanical

MAULANA MUKHTAR AHMAD NADVI TECHNICAL CAMPUS

Approved by AICTE, New Delhi Recognised by DTE, Mumbai & Govt. of Maharashtra Affiliated to Savitribai Phule Pune University, Pune

Mansoora P.O.Box. No.144, Malegaon, Dist. Nashik Pin: 423203 (MS) | Contact : +91-9028254526 Email: info@mmantc.edu.in | www.mmantc.edu.in



FEEDBACK ON FACILITIES (2022-2023)

Name:	d. Masin	ueldi	in	Conta	act No: 93	270129024		
	V	Alumni Par						
Student	Alumni		Pare	ent		Staff		
Scale	1		2	3	4	5		
Descriptors	Poor	Satisf	actory	Good	Very Good	Excellent		

C N-		Rating								
S.No	How would you rate the following?	1	2	3	4	5				
1	Campus Maintenance			~	1					
2	Usage of ICT facilities in the classrooms			,						
3	Canteen facilities: Food Quality, Ambience and Support Staff									
4	Do the girls feel secure on the campus					/				
5	Drinking water facility									
6	Washroom Cleanliness and Maintenance									
7	Sports facilities in the college				1	1/				
8	Transportation provided by the college adequate			V		V				
9	Were the laboratories/ workshops adequately equipped and properly maintained									
10	The overall environment of the college					./				

Institute Code 5411

MALEGAON, Dist. Nashik

NAME: Md. Nasiruddir

DEPARTMENT: Mech

MAULANA MUKHTAR AHMAD NADVI TECHNICAL CAMPUS

Approved by AICTE, New Delhi Recognised by DTE, Mumbai & Govt. of Maharashtra Affiliated to Savitribai Phule Pune University, Pune

Mansoora P.O.Box. No.144, Malegaon, Dist. Nashik Pin: 423203 (MS) | Contact : +91-9028254526 Email: info@mmante.edu.in | www.mmante.edu.in



FEEDBACK ON FACILITIES (2022-2023)

Name:	ilizea D	Zahid	Ameen	Conto	act No: 8	626674290		
	1	_						
Student	Alı	umni Pare		ent		Staff		
6.1								
Scale	1		2	3	4	5		
Descriptors	Poor	Poor Satisfa		Good	Very Good	Excellent		

S.No	How would you set at a car	Rating							
	How would you rate the following?	1	2	3	4	5			
1	Campus Maintenance								
2	Usage of ICT facilities in the classrooms				7%				
3	Canteen facilities: Food Quality, Ambience and Support Staff			1					
4	Do the girls feel secure on the campus								
5	Drinking water facility								
6	Washroom Cleanliness and Maintenance		1						
7	Sports facilities in the college								
8	Transportation provided by the college adequate								
9	Were the laboratories/ workshops adequately equipped and properly maintained								
10	The overall environment of the college								

NAME: Faizec Eahl Ameen DEPARTMENT: Mechanical



MAULANA MUKHTAR AHMAD NADVI TECHNICAL CAMPUS

Approved by AICTE, New Delhi Recognised by DTE, Mumbai & Govt. of Maharashtra Affiliated to Savitribai Phule Pune University, Pune

Mansoora P.O.Box. No.144, Malegaon, Dist. Nashik Pin: 423203 (MS) | Contact : +91-9028254526 Email: info@mmante.edu.in | www.mmante.edu.in



FEEDBACK ON FACILITIES (2022-2023)

Name: Abd	10qu	100 Bh		Conto	act No:	7496	\$872747		
Student	Student Alumni		Pare	ent		Staff			
Scale	1		2		4		5		
Descriptors	Poor	Satis	Satisfactory (Very (Good	Excellent		

				Rating	g	
S.No	How would you rate the following?	1	2	3	4	5
1	Campus Maintenance					,
2	Usage of ICT facilities in the classrooms			~		
3	Canteen facilities: Food Quality, Ambience and Support Staff				7	
4	Do the girls feel secure on the campus					
5	Drinking water facility					7
6	Washroom Cleanliness and Maintenance				7	
7	Sports facilities in the college					
8	Transportation provided by the college adequate			7		
9	Were the laboratories/ workshops adequately equipped and properly maintained				1	
10	The overall environment of the college					

NAME: DEPARTMENT:



MAULANA MUKHTAR AHMAD NADVI TECHNICAL CAMPUS

Approved by AICTE, New Delhi Recognised by DTE, Mumbai & Govt. of Maharashtra Affiliated to Savitribai Phule Pune University, Pune

Name:

Mansoora P.O.Box. No.144, Malegaon, Dist. Nashik Pin: 423203 (MS) | Contact : +91-9028254526 Email: info@mmante.edu.in | www.mmante.edu.in



FEEDBACK ON FACILITIES (2022-2023)

1 LSa	r Bhme	d Kha	1;1 Atm	Conce	ict No: 8/	93909056						
Student	Student Alumni			ent		Staff						
Scale	1	2		3	4	5						
Descriptors	Poor	Satisfactory		Satisfactory		Satisfactory		Satisfactory		Good	Very Good	Excellent

a.v.		Rating							
S.No	How would you rate the following?	1	2	3	4	5			
1	Campus Maintenance					,			
2	Usage of ICT facilities in the classrooms				,				
3	Canteen facilities: Food Quality, Ambience and Support Staff				7	19			
4	Do the girls feel secure on the campus								
5	Drinking water facility			/					
6	Washroom Cleanliness and Maintenance				1				
7	Sports facilities in the college								
8	Transportation provided by the college adequate			7					
9	Were the laboratories/ workshops adequately equipped and properly maintained				_	7			
10	The overall environment of the college								

NAME: DEPARTMENT:



MAULANA MUKHTAR AHMAD NADVI TECHNICAL CAMPUS

Approved by AICTE, New Delhi Recognised by DTE, Mumbai & Govt. of Maharashtra Affiliated to Savitribai Phule Pune University, Pune

Mansoora P.O.Box. No.144, Malegaon, Dist. Nashik Pin: 423203 (MS) | Contact : +91-9028254526 Email: info@mmante.edu.in | www.mmante.edu.in

Very Good

Excellent



FEEDBACK ON FACILITIES (2022-2023)

Name: KL	Walle! Khali I Phoned					23	1603905		
Student	Student Alu		Pare	ent		Staff			
	Г			_					
Scale	1	2		3	4		5		
Descriptors	Poor	Satisf	actory	Good	Very Good	d	Excellent		

CN-				Rating	5	
S.No	How would you rate the following?	1	2	3	4	5
1	Campus Maintenance			~		
2	Usage of ICT facilities in the classrooms					
3	Canteen facilities: Food Quality, Ambience and Support Staff					
4	Do the girls feel secure on the campus					
5	Drinking water facility				1	
6	Washroom Cleanliness and Maintenance					
7	Sports facilities in the college		/			
8	Transportation provided by the college adequate		~			
9	Were the laboratories/ workshops adequately equipped and properly maintained			V		
10	The overall environment of the college				1	

NAME: **DEPARTMENT:**



MAULANA MUKHTAR AHMAD NADVI TECHNICAL CAMPUS

Approved by AICTE, New Delhi Recognised by DTE, Mumbai & Govt. of Maharashtra Affiliated to Savitribai Phule Pune University, Pune Mansoora P.O.Box. No.144, Malegaon, Dist. Nashik Pin: 423203 (MS) | Contact : +91-9028254526 Email: info@mmante.edu.in | www.mmante.edu.in



FEEDBACK ON FACILITIES (2022-2023)

Name: Kha	ahmo	Conta	ict No:	937	395 8017				
Student	Student Alumni l		Pare	ent		Staff			
Scale	1	2		3	4		5		
Descriptors	Poor	Satisfactory		Good	Very (ery Good Excelle			

				Rating	3	
S.No	How would you rate the following?	1	2	3	4	5
1	Campus Maintenance			~		
2	Usage of ICT facilities in the classrooms				~	
3	Canteen facilities: Food Quality, Ambience and Support Staff				V	
4	Do the girls feel secure on the campus				/	
5	Drinking water facility			V		
6	Washroom Cleanliness and Maintenance			~		
7	Sports facilities in the college		/			
8	Transportation provided by the college adequate		~			
9	Were the laboratories/ workshops adequately equipped and properly maintained			/		
10	The overall environment of the college				~	

NAME: DEPARTMENT:



MAULANA MUKHTAR AHMAD NADVI TECHNICAL CAMPUS

Approved by AICTE, New Delhi Recognised by DTE, Mumbai & Govt. of Maharashtra Affiliated to Savitribai Phule Pune University, Pune

Mansoora P.O.Box. No.144, Malegaon, Dist. Nashik Pin: 423203 (MS) | Contact : +91-9028254526 Email: info@mmantc.edu.in | www.mmantc.edu.in



FEEDBACK ON FACILITIES (2022-2023)

Name: Gut	thon 1	Seg		Cont	act No:	942	3934095		
			_	1					
Student	Student Alumni		Par	ent		Staff			
		1			_				
Scale	1	2		3	4		5		
Descriptors	Poor	Satisf	actory	Good	Very (Good	Excellent		

S.No		Rating							
2.110	How would you rate the following?	1	2	3	4	5			
1	Campus Maintenance				-	7			
2	Usage of ICT facilities in the classrooms			5					
3	Canteen facilities: Food Quality, Ambience and Support Staff			~					
4	Do the girls feel secure on the campus								
5	Drinking water facility				~				
6	Washroom Cleanliness and Maintenance								
7	Sports facilities in the college			_					
8	Transportation provided by the college adequate		-						
9	Were the laboratories/ workshops adequately equipped and properly maintained								
10	The overall environment of the college					v			

NAME: DEPARTMENT:



Chympa

MAULANA MUKHTAR AHMAD NADVI TECHNICAL CAMPUS

Approved by AICTE, New Delhi Recognised by DTE, Mumbai & Govt. of Maharashtra Affiliated to Savitribai Phule Pune University, Pune

Mansoora P.O.Box. No.144, Malegaon, Dist. Nashik Pin: 423203 (MS) | Contact : +91-9028254526 Email: info@mmantc.edu.in | www.mmantc.edu.in



FEEDBACK ON FACILITIES (2022-2023)

Name:	ammed	10	المام المام	Conto	act No: 502	8254531		
1.101	winned		LIVIN OL					
Student	Alumni		Par	ent	9	Staff		
					/			
Scale	1		2	3	4	5		
Descriptors	Poor	Satisfactory		Good	Very Good	Excellent		
					T			

		Rating								
S.No	How would you rate the following?	1	2	3	4	5				
1	Campus Maintenance				/					
2	Usage of ICT facilities in the classrooms				/					
3	Canteen facilities: Food Quality, Ambience and Support Staff				/					
4	Do the girls feel secure on the campus					~				
5	Drinking water facility					/				
6	Washroom Cleanliness and Maintenance			/						
7	Sports facilities in the college	/								
8	Transportation provided by the college adequate			/						
9	Were the laboratories/ workshops adequately equipped and properly maintained				~					
10	The overall environment of the college					~				

NAME:

DEPARTMENT: CIVIL Engg.

Institute Cor 1 COHNICO MAA A Dist. Nashik

MAULANA MUKHTAR AHMAD NADVI TECHNICAL CAMPUS

Approved by AICTE, New Delhi Recognised by DTE, Mumbai & Govt. of Maharashtra Affiliated to Savitribai Phule Pune University, Pune

Mansoora P.O.Box. No.144, Malegaon, Dist. Nashik Pin: 423203 (MS) | Contact : +91-9028254526 Email: info@mmantc.edu.in | www.mmantc.edu.in



FEEDBACK ON FACILITIES (2022-2023)

Name:	Moha	mmad	Dan	esh Conto	act No:	604900504			
Student	Alumni		Par	ent		Staff			
Scale	1	2	2 3		4	5			
Descriptors	Poor	Satisf:	actory	Good	Very Good	Evcellent			

				Rating	g	30 E
S.No	How would you rate the following?	1	2	3	4	5
1	Campus Maintenance					~
2	Usage of ICT facilities in the classrooms				~	
3	Canteen facilities: Food Quality, Ambience and Support Staff				~	
4	Do the girls feel secure on the campus					~
5	Drinking water facility				V	
6	Washroom Cleanliness and Maintenance				V	
7	Sports facilities in the college					V
8	Transportation provided by the college adequate			V		
9	Were the laboratories/ workshops adequately equipped and properly maintained					V
10	The overall environment of the college					~

NAME: Mohammad Danish DEPARTMENT:

MAULANA MUKHTAR AHMAD NADVI TECHNICAL CAMPUS

Approved by AICTE, New Delhi Recognised by DTE, Mumbai & Govt. of Maharashtra Affiliated to Savitribai Phule Pune University, Pune

Mansoora P.O.Box. No.144, Malegaon, Dist. Nashik Pin: 423203 (MS) | Contact: +91-9028254526 Email: info@mmantc.edu.in | www.mmantc.edu.in



FEEDBACK ON FACILITIES (2022-2023)

Name:	Sho	ah Fa	1 sou		Conto	act No:	957	19654606
Stud	ent	Alu	ımni	Pare	ent			Staff
Scale		1		2	3	4		5
Descripto	ors	Poor	Satis	factory	Good	Very (Good	Excellent

				Ratin	g	
S.No	How would you rate the following?	1	2	3	4	5
1	Campus Maintenance					
2	Usage of ICT facilities in the classrooms					
3	Canteen facilities: Food Quality, Ambience and Support Staff					
4	Do the girls feel secure on the campus					
5	Drinking water facility					
6	Washroom Cleanliness and Maintenance					
7	Sports facilities in the college					~
8	Transportation provided by the college adequate				/	
9	Were the laboratories/ workshops adequately equipped and properly maintained					
10	The overall environment of the college					~

Institute

MALEUNON,

NAME: S. Fagul

DEPARTMENT: Electrical Engineering

Approved by AICTE, New Delhi Recognised by DTE, Mumbai & Govt. of Maharashtra Affiliated to Savitribai Phule Pune University & MSBTE, Mumbai Mansoora P.O.Box. No.144, Malegaon Dist. Nashik Pin: 423203 (MS) | Telefax : 02554-239097 Email: info@mmantc.edu.in | www.mmantc.edu.in



Minutes of IQAC Meeting in Academic year 2022-23

Name of the Stakeholder: - Parents

To bring the feedback of their attention and ask if there is chance for meaningful adjustments to be made to college facilities, the IQAC convened a meeting with all of the in-charges and HoDs under head of institutions

Parents feedback above 70% is the positive feedback and below it is considered negative feedback and we are working for the environment.

Sr.No.	Query	Feedback response	Percentage Consensus	Action to be taken
1	Campus Maintenance	Very Good	80%	We will take suggestions into account to move towards the betterment of the same.
2	Usage of ICT facilities in the classrooms	Very Good	85%	We will take suggestions into account to move towards the betterment of the same.
3	Canteen facilities: Food Quality, Ambience and Support Staff	Excellent	90%	We will continue with same rigor, and ensure proper hygiene and cleanliness of high standards by conduct of regular periodic inspection.
4	Do the girls feel secure on the campus	Excellent	95%	We will continue with same rigor towards betterment of the same.
5	Drinking water facility	Excellent	90%	We will take suggestions into account to move towards the betterment of the same.
6	Washroom Cleanliness and Maintenance	Very Good	85%	We will take suggestions into account to move towards the betterment of the same.
7	Sports facilities in the college	Very Good	75%	By taking suggestion into account our procedure will continue to be more effective.
8	Transportation provided by the college adequate	Very Good	80%	By taking suggestion into account our procedure will continue to be more effective.
9	Were the laboratories/ workshops adequately equipped and properly maintained	Excellent	90%	We will continue with same rigor to increase the production.
10	The overall environment of the college	Excellent	95%	We will continue with same rigor to increase the production.

IQAC Coordinator
Maulana Mukhtar Ahmad Nadvi
Technical Campus,
Malegaon Dist. Nashik -423203

Institute
Code 5411

"MANSOORA"
MALEGAON,
Dist. Nashik

PRINCIPAL

FAULANA MUKHTAR AHMAD NADVI TECHINICAL

CAMPUS MALEGAON DIS Nashik

Approved by AICTE, New Delhi Recognised by DTE, Mumbai & Govt. of Maharashtra Affiliated to Savitribai Phule Pune University & MSBTE, Mumbai Mansoora P.O.Box. No.144, Malegaon Dist. Nashik Pin: 423203 (MS) | Telefax : 02554-239097 Email: info@mmantc.edu.in | www.mmantc.edu.in



Minutes of IQAC Meeting in Academic year 2022-23

Name of the Stakeholder: - Alumni

To bring the feedback of their attention and ask if there is chance for meaningful adjustments to be made to college facilities, the IQAC convened a meeting with all of the in-charges and HoDs under head of institutions.

Alumni feedback above 70% is the positive feedback and below it is considered negative feedback and we are working for the environment.

Sr.No.	Query	Feedback response	Percentage Consensus	Action to be taken
1	Campus Maintenance	Very Good	80%	We will take suggestions into account to move towards the betterment of the same.
2	Usage of ICT facilities in the classrooms	Excellent	90%	We will take suggestions into account to move towards the betterment of the same.
3	Canteen facilities: Food Quality, Ambience and Support Staff	Very Good	85%	We will continue with same rigor, and ensure proper hygiene and cleanliness of high standards by conduct of regular periodic inspection.
4	Do the girls feel secure on the campus	Excellent	95%	We will continue with same rigor towards betterment of the same.
5	Drinking water facility	Excellent	90%	We will take suggestions into account to move towards the betterment of the same.
6	Washroom Cleanliness and Maintenance	Excellent	90%	We will take suggestions into account to move towards the betterment of the same.
7	Sports facilities in the college	Very Good	80%	By taking suggestion into account our procedure will continue to be more effective.
8	Transportation provided by the college adequate	Very Good	85%	By taking suggestion into account our procedure will continue to be more effective.
9	Were the laboratories/ workshops adequately equipped and properly maintained	Excellent	90%	We will continue with same rigor to increase the production.
10	The overall environment of the college	Excellent	90%	We will continue with same rigor to increase the production.

th

IQAC Coordinator
Maulana Mukhtar Ahmad Nadvi
Technical Campus,
Malegaon Dist. Nashik -423203

institute
Code \$411

MAIN DOAR
MALEGAON
Dist. Nashir

PRINCIPAL

:AULANA MUKHTAR AHMAD NADVI TECHINICAL
CAMPUS MALEGAON DIS Nashik

Approved by AICTE, New Delhi Recognised by DTE, Mumbai & Govt. of Maharashtra Affiliated to Savitribai Phule Pune University & MSBTE, Mumbai Mansoora P.O.Box, No.144, Malegaon Dist, Nashik Pin: 423203 (MS) | Telefax: 02554-239097 Email: info@immantc.edu.in | www.mmantc.edu.in



Minutes of IQAC Meeting in Academic year 2022-23

Name of the Stakeholder: - Student

To bring the feedback of their attention and ask if there is chance for meaningful adjustments to be made to college facilities, the IQAC convened a meeting with all of the in-charges and HoDs under head of institutions.

Students feedback above 70% is the positive feedback and below it is considered negative feedback and we are working for the environment.

Sr.No.	Query	Feedback response	Percentage Consensus	Action to be taken
1	Campus Maintenance	Very Good	80%	We will take suggestions into account to move towards the betterment of the same.
2	Usage of ICT facilities in the classrooms	Very Good	85%	We will take suggestions into account to move towards the betterment of the same.
3	Canteen facilities: Food Quality, Ambience and Support Staff	Very Good	75%	We will continue with same rigor, and ensure proper hygiene and cleanliness of high standards by conduct of regular periodic inspection.
4	Do the girls feel secure on the campus	Good	72%	We will continue with same rigor towards betterment of the same.
5	Drinking water facility	Very Good	75%	We will take suggestions into account to move towards the betterment of the same.
6	Washroom Cleanliness and Maintenance	Very Good	80%	We will take suggestions into account to move towards the betterment of the same.
7	Sports facilities in the college	Very Good	80%	By taking suggestion into account our procedure will continue to be more effective.
8	Transportation provided by the college adequate	"Very Good	85%	By taking suggestion into account our procedure will continue to be more effective.
9	Were the laboratories/ workshops adequately equipped and properly maintained	Excellent	90%	We will continue with same rigor to increase the production.
10	The overall environment of the college	Excellent	95%	We will continue with same rigor to increase the production.

IQAC Coordinator
Maulana Mukhtar Ahmad Natin

Maulana Mukhtar Ahmad Nazibi Tachnical Campus, Malegaon Dist. Nashik -423200



PRINCIPAL

1AULANA MUKHTAR AHMAD NADVI TECHINICAL
CAMPUS MALEGAON DIS Naghik

Approved by AICTE, New Delhi Recognised by DTE, Mumbai & Govt. of Maharashtra Affiliated to Savitribai Phule Pune University & MSBTE, Mumbai Mansoora P.O.Box. No.144, Malegaon Dist. Nashik Pin: 423203 (MS) | Telefax: 02554-239097 Email: info@mmantc.edu.in | www.mmantc.edu.in



Minutes of IQAC Meeting in Academic year 2022-23

Name of the Stakeholder: - Staff

To bring the feedback of their attention and ask if there is chance for meaningful adjustments to be made to college facilities, the IQAC convened a meeting with all of the in-charges and HoDs under head of institutions.

Staff feedback above 70% is the positive feedback and below it is considered negative feedback and we are working for the environment.

Sr.No.	Query	Feedback response	Percentage Consensus	Action to be taken
1	Campus Maintenance	Very Good	85%	We will continue with same rigor to move towards betterment of the same.
2	Usage of ICT facilities in the classrooms	Very Good	80%	We will take suggestions into account to move towards the betterment of the same.
3	Canteen facilities: Food Quality, Ambience and Support Staff	Very Good	80%	We will continue with same rigor, and ensure proper hygiene and cleanliness of high standards by conduct of regular periodic inspection.
4	Do the girls feel secure on the campus	Excellent	95%	We will continue with same rigor towards betterment of the same.
5	Drinking water facility	Excellent	95%	We will continue with same rigor to increase the production.
6	Washroom Cleanliness and Maintenance	Very Good	85%	We will continue with same rigor to starve for the betterment of the same.
7	Sports facilities in the college	Excellent	90%	By taking suggestion into account our procedure will continue to be more effective.
8	Transportation provided by the college adequate	Very Good	75%	By taking suggestion into account our procedure will continue to be more effective.
9	Were the laboratories/ workshops adequately equipped and properly maintained	Excellent	90%	We will continue with same rigor to increase the production.
10	The overall environment of the college	Very Good	80%	We will continue with same rigor to increase the production.

IQAC Coordinator

Maulana Mukhtar Ahmad Nadvi

Technical Campus,

Malegaon Dist. Nashik -423203

Institute
Code 5411

MANSORA

MALEGAON
Dist. Nashik

Ovn Snah

ENCIPAL .

PRINCIPAL

1AULANA MUKHTAR AHMAD NADVI TECHINICAL
CAMPUS MALEGAON DIS Nashik

Jamia Mohammadia Education Society Mumbai's

MAULANA MUKHTAR AHMAD NADVI TECHNICAL CAMPUS

Approved by AICTE, New Delhi Recognised by DTE, Mumbai & Govt. of Maharashtra Affiliated to Savitribai Phule Pune University & MSBTE, Mumbai Mansoora P.O.Box. No.144, Malegaon Dist. Nashik Pin: 423203 (MS) | Telefax: 02554-239097 Email: info@mmantc.edu.in | www.mmantc.edu.in



Annual Analysis Report on Staff Feedback (2021-22)

This report presents an analysis of Faculties feedback response collected.

1. Analysis of data in Tabular form:

			Rating					
Sr. No	How would you rate the following?	Poor	Satisfactory	Good	Very Good	Excellent		
1	Campus Maintenance	1	1	1	9	8		
2	Usage of ICT facilities in the classrooms	0	1	3	12	4		
3	Canteen facilities: Food Quality, Ambience and Support Staff	1	3	3	7	6		
4	Do the girls feel secure on the campus	0	0	1	2	17		
5	Drinking water facility	0	0	5	11	4		
6	Washroom Cleanliness and Maintenance	0	0	7	10	3		
7	Sports facilities in the college	0	2	5	6	7		
8	Transportation provided by the college adequate	4	1	7	7	1		
9	Were the laboratories/ workshops adequately equipped and properly maintained	1	1	3	4	11		
10	The overall environment of the college	0	2	0	4	14		

th

IQAC Coordinator Maulana Mukhtar Ahmad Nadvi Technical Campus, Malegaon Dist. Nashik -423203



PRINCIPAL

MAVIANA MUXHTAR AHMAD NADVI TECHNICAL CAMPTS


"MANSOORA", MALEGAON, Dist. Nashik

Analysis of overall data in Graphical form:

1. Bar Graph



2. Pie Chart



Jamia Mohammadia Education Society Mumbai's

MAULANA MUKHTAR AHMAD NADVI TECHNICAL CAMPUS

Approved by AICTE, New Delhi Recognised by DTE, Mumbai & Govt. of Maharashtra Affiliated to Savitribai Phule Pune University & MSBTE, Mumbai

Mansoora P.O.Box. No.144, Malegaon Dist. Nashik Pin: 423203 (MS) | Telefax: 02554-239097 Email: info@mmantc.edu.in | www.mmantc.edu.in



Annual Analysis Report on Alumni Feedback (2021-22)

This report presents an analysis of Alumni feedback response collected.

(A). Analysis of data in Tabular form:

c		Rating								
Sr. No	How would you rate the following?	Poor	Satisfactory	Good	Very Good	Excellent				
1	Campus Maintenance	0	5	1	1	15				
2	Usage of ICT facilities in the classrooms	0	6	3	11	3				
3	Canteen facilities: Food Quality, Ambience and Support Staff	0	13	4	4	1				
4	Do the girls feel secure on the campus	0	2	7	5	9				
5	Drinking water facility	0	1	17	1	0				
6	Washroom Cleanliness and Maintenance	0	0	19	2	0				
7	Sports facilities in the college	3	8	3	3	3				
8	Transportation provided bythecollege	4	8	6	2	0				
9	Were the laboratories/ workshops adequately equipped and properly maintained	3	6	4	4	3				
10	The overall environment of the college	0	1	3	11	7				

IQAC Coordinator Maulana Mukhtar Ahmad Nadvi Technical Campus, Malegaon Dist. Nashik -423203




PRINCIPAL

MAVLANA MUNHTAR AHMAD NADVI TECHNICAL CAMOS

"MANSOORA", MALEGAON, Dist. Nashik

Analysis of overall data in Graphical form:

1. Bar Graph



2. Pie Chart

Alumni Feedback 2021-22 1 Campus Maintenance 2 Usage of ICT facilities in the classrooms 3 Canteen facilities: Food Quality, Ambience and Support Staff 4 Do the girls feel secure on the campus 5 Drinking water facility 6 Washroom Cleanliness and Maintenance 7 Sports facilities in the college 8 Transportation provided by college 9 Were the laboratories/ workshops adequately equipped and properly maintained 10 The overall environment of the college

Institute Code 5411

MALEGAON,

Jamia Mohammadia Education Society Mumbai's

MAULANA MUKHTAR AHMAD NADVI TECHNICAL CAMPUS

Approved by AICTE, New Delhi Recognised by DTE, Mumbai & Govt. of Maharashtra Affiliated to Savitribai Phule Pune University & MSBTE, Mumbai

Mansoora P.O.Box. No.144, Malegaon Dist. Nashik Pin: 423203 (MS) | Telefax: 02554-239097 Email: info@mmantc.edu.in | www.mmantc.edu.in



Annual Analysis Report on StudentsFeedback (2021-22)

This report presents an analysis of Students feedback response collected.

(A). Analysis of data in Tabular form:

C				Rating		
Sr. No	How would you rate the following?	Poor	Satisfactory	Good	Very Good	Excellent
1	Campus Maintenance	1	10	3	6	0
2	Usage of ICT facilities in the classrooms	1	5	2	7	2
3	Canteen facilities: Food Quality, Ambience and Support Staff	2	3	7	3	2
4	Do the girls feel secure on the campus	1	2	3	8	1
5	Drinking water facility	2	1	2	5	2
6	Washroom Cleanliness and Maintenance	2	3	5	4	1
7	Sports facilities in the college	3	5	7	2	1
8	Transportation provided by the college adequate	3	6	8	2	0
9	Were the laboratories/ workshops adequately equipped and properly maintained	2	8	4	4	0
10	The overall environment of the college	0	4	6	5	5


IQAC Coordinator
Maulana Mukhtar Ahmad Nadvi
Technical Campus,
Malegaon Dist. Nashik -423203




PRINCIPAL
MAVIANA MUKHTAR AHMAD NADYI TECHNICAL CANYON
"MANSOORA", MALEGAON, Dist. Nashik

(B). Analysis of overall data in Graphical form:

1. Bar Graph



2. Pie Chart



Jamia Mohammadia Education Society Mumbai's

MAULANA MUKHTAR AHMAD NADVI TECHNICAL CAMPUS

Approved by AICTE, New Delhi Recognised by DTE, Mumbai & Govt. of Maharashtra Affiliated to Savitribai Phule Pune University & MSBTE, Mumbai

Mansoora P.O.Box. No.144, Malegaon Dist. Nashik Pin: 423203 (MS) | Telefax: 02554-239097 Email: info@mmante.edu.in | www.mmante.edu.in



Annual Analysis Report on Parents Feedback (2021-22)

This report presents an analysis of Parents feedback response collected.

(A). Analysis of data in Tabular form:

Sr.	How would you rate the following?	Rating							
No	now would you rate the following:	Poor	Satisfactory	Good	Very Good	Excellent			
1	Campus Maintenance	3	4	5	6	1			
2	Usage of ICT facilities in the classrooms	1	6	5	8	1			
3	Canteen facilities: Food Quality, Ambience and Support Staff	1	2	7	8	1			
4	Do the girls feel secure on the campus	1	2	8	8	2			
5	Drinking water facility	1	1	7	8	1			
6	Washroom Cleanliness and Maintenance	1	2	7	6	3			
7	Sports facilities in the college	1	6	8	4	2			
8	Transportation provided by the college adequate	2	6	6	7	0			
9	Were the laboratories/ workshops adequately equipped and properly maintained	6	2	7	5	0			
10	The overall environment of the college	2	2	8	7	0			

IQAC Coordinator
Maulana Mukhtar Ahmad Nadvi
Technical Campus,
Malegaon Dist. Nashik -423203




3

PRINCIPAL
MAULANA MUKHTAR AHMAD NADVI TECHNICAL CAMPOS
"MANSOORA", MALEGAON, DIST. Nashik

(B). Analysis of overall data in Graphical form:

1. Bar Graph



2. Pie Chart

Parents Feedback 2021-22 1 Campus Maintenance 2 Usage of ICT facilities in the classrooms 3 Canteen facilities: Food Quality, Ambience and Support Staff 4 Do the girls feel secure on the campus 5 Drinking water facility 6 Washroom Cleanliness and Maintenance 7 Sports facilities in the college 8 Transportation provided by college 9 Were the laboratories/ workshops adequately equipped and properly maintained 10 The overall environment of the college



Approved by AICTE, New Delhi Recognised by DTE, Mumbai & Govt. of Maharashtra Affiliated to Savitribai Phule Pune University, Pune

Mansoora P.O.Box. No.144, Malegaon, Dist. Nashik Pin: 423203 (MS) | Contact : +91-9028254526 Email: info@mmante.edu.in | www.mmante.edu.in



FEEDBACK ON FACILITIES (2021-2022)

Contact No: | 902825453|

			1.0%			~
Student	Alu	ımni	Par	ent		Staff
					/	
Scale	1		2	3	4	5
Descriptors	Poor	Satisf	actory	Good	Very Good	Excellent

		Rating							
S.No	How would you rate the following?	1	2	3	4	5			
1	Campus Maintenance				/				
2	Usage of ICT facilities in the classrooms				~				
3	Canteen facilities: Food Quality, Ambience and Support Staff			~					
4	Do the girls feel secure on the campus					~			
5	Drinking water facility					~			
6	Washroom Cleanliness and Maintenance		/						
7	Sports facilities in the college		/	30					
8	Transportation provided by the college adequate			/					
9	Were the laboratories/ workshops adequately equipped and properly maintained				/				
10	The overall environment of the college					V			

HMAD NAOV Institute "MAN . ORA" MALEGAON, Dist. Nashik

NAME: DEPARTMENT: CWI Engg

MAULANA MUKHTAR AHMAD NADVI TECHNICAL CAMPUS

Approved by AICTE, New Delhi Recognised by DTE, Mumbai & Govt. of Maharashtra Affiliated to Savitribai Phule Pune University, Pune Mansoora P.O.Box. No.144, Malegaon, Dist. Nashik Pin: 423203 (MS) | Contact : +91-9028254526 Email: info@mmantc.edu.in | www.mmantc.edu.in



FEEDBACK ON FACILITIES (2021-2022)

Name: Abs	d Ali A	s - A .		Conta	ct No:	898	3161409
						V	
Student	Alu	ımni	Pare	ent		9	Staff
					M		
Scale	1		2	3	4	ļ	5
Descriptors	Poor	Satis	sfactory	Good	Very	Good	Excellent

	Rating						
S.No	How would you rate the following?	1	2	3	4	5	
1	Campus Maintenance						
2	Usage of ICT facilities in the classrooms						
3	Canteen facilities: Food Quality, Ambience and Support Staff			~			
4	Do the girls feel secure on the campus				~		
5	Drinking water facility				~		
6	Washroom Cleanliness and Maintenance			/			
7	Sports facilities in the college				/		
8	Transportation provided by the college adequate				/		
9	Were the laboratories/ workshops adequately equipped and properly maintained				/		
10	The overall environment of the college				~		

NAME: Abid Asi A.A.
DEPARTMENT: computer



MAULANA MUKHTAR AHMAD NADVI TECHNICAL CAMPUS

Approved by AICTE, New Delhi Recognised by DTE, Mumbai & Govt. of Maharashtra Affiliated to Savitribai Phule Pune University, Pune

Mansoora P.O.Box. No.144, Malegaon, Dist. Nashik Pin: 423203 (MS) | Contact : +91-9028254526 Email: info@mmantc.edu.in | www.mmantc.edu.in



FEEDBACK ON FACILITIES (2021-2022)

Name:	Dr. Raglis Nad	e em Contact No:	9199072550

			1
Student	Alumni	Parent	Staff

Scale	1	2	3	4	5
Descriptors	Poor	Satisfactory	Good	Very Good	Excellent

	•	Rating						
S.No	How would you rate the following?	1	2	3	4	5		
1	Campus Maintenance				1			
2	Usage of ICT facilities in the classrooms					~		
3	Canteen facilities: Food Quality, Ambience and Support Staff				,	~		
4	Do the girls feel secure on the campus					1-		
5	Drinking water facility				1			
6	Washroom Cleanliness and Maintenance				~			
7	Sports facilities in the college	7			1			
8	Transportation provided by the college adequate				~			
9	Were the laboratories/ workshops adequately equipped and properly maintained				١	V		
10	The overall environment of the college					~		

NAME: Dr. Raghil Madeem
DEPARTMENT: Applied Sciences



MAULANA MUKHTAR AHMAD NADVI TECHNICAL CAMPUS

Approved by AICTE, New Delhi Recognised by DTE, Mumbai & Govt. of Maharashtra Affiliated to Savitribai Phule Pune University, Pune

Mansoora P.O.Box. No.144, Malegaon, Dist. Nashik Pin: 423203 (MS) | Contact: +91-9028254526 Email: info@mmante.edu.in | www.mmante.edu.in



FEEDBACK ON FACILITIES (2021-2022)

Name: Moh	ummed	Hass	an	Conta	Contact No: 9326664502					
Student	Alu	Alumni Paren		ent		Staff				
Scale	1		2		2 3		2 3		4	5
Descriptors	Poor	Satis	Satisfactory G		Very Good	Excellent				

		Rating						
S.No	How would you rate the following?	1	2	3	4	5		
1	Campus Maintenance				~			
2	Usage of ICT facilities in the classrooms			-				
3	Canteen facilities: Food Quality, Ambience and Support Staff							
4	Do the girls feel secure on the campus				~			
5	Drinking water facility							
6	Washroom Cleanliness and Maintenance					~		
7	Sports facilities in the college							
8	Transportation provided by the college adequate							
. 9	Were the laboratories/ workshops adequately equipped and properly maintained			~				
10	The overall environment of the college				~			

NAME:

DEPARTMENT:



basian SIGNATURE

MAULANA MUKHTAR AHMAD NADVI TECHNICAL CAMPUS

Approved by AICTE, New Delhi Recognised by DTE, Mumbai & Govt. of Maharashtra Affiliated to Savitribai Phule Pune University, Pune

Scale

Descriptors

Poor

Mansoora P.O.Box. No.144, Malegaon, Dist. Nashik Pin: 423203 (MS) | Contact: +91-9028254526 Email: info@mmante.edu.in | www.mmante.edu.in

Very Good



5

Excellent

FEEDBACK ON FACILITIES (2021-2022)

Name: Iftel	char Dans. S Ahmed	17	Contact No	7038793857
Student	Alumni	Parent		Staff

3

Good

2

Satisfactory

		Rating						
S.No	How would you rate the following?	1	2	3	4	5		
1	Campus Maintenance			~				
2	Usage of ICT facilities in the classrooms			~				
3	Canteen facilities: Food Quality, Ambience and Support Staff			~				
4	Do the girls feel secure on the campus				~			
5	Drinking water facility					~		
6	Washroom Cleanliness and Maintenance				/			
7	Sports facilities in the college			~				
8	Transportation provided by the college adequate			/				
9	Were the laboratories/ workshops adequately equipped and properly maintained							
10	The overall environment of the college					V		

NAME: DEPARTMENT:



Townsh

MAULANA MUKHTAR AHMAD NADVI TECHNICAL CAMPUS

Approved by AICTE, New Delhi Recognised by DTE, Mumbai & Govt. of Maharashtra Affiliated to Savitribai Phule Pune University, Pune Mansoora P.O.Box. No.144, Malegaon, Dist. Nashik Pin: 423203 (MS) | Contact : +91-9028254526 Email: info@mmantc.cdu.in | www.mmantc.edu.in



FEEDBACK ON FACILITIES (2021-2022)

	in 2 ee						
/						14	
Alu	mni	Pare	ent		Staff		
1		2	3	4		5	
Poor	Satisf	factory	Good	Very C	lood	Excellent	
	1		1 2	1 2 3	1 2 3 4	1 2 3 4	

		Rating							
S.No	How would you rate the following?	1	2	3	4	5			
1	Campus Maintenance				~				
2	Usage of ICT facilities in the classrooms	10			/				
3	Canteen facilities: Food Quality, Ambience and Support Staff				/				
4	Do the girls feel secure on the campus					V			
5	Drinking water facility					V			
6	Washroom Cleanliness and Maintenance					V			
7	Sports facilities in the college				/				
8	Transportation provided by the college adequate			/					
9	Were the laboratories/ workshops adequately equipped and properly maintained				/				
10	The overall environment of the college				V				

NAME: Ziya Tanzeel DEPARTMENT: Mechanical

Institute
Cod- 5411
MALEGAON,
MALEGAON,
Dist. Nashik
Snah

MAULANA MUKHTAR AHMAD NADVI TECHNICAL CAMPUS

Approved by AICTE, New Delhi Recognised by DTE, Mumbai & Govt. of Maharashtra Affiliated to Savitribai Phule Pune University, Pune

Mansoora P.O.Box. No.144, Malegaon, Dist. Nashik Pin: 423203 (MS) | Contact : +91-9028254526 Email: info@mmante.edu.in | www.mmante.edu.in



FEEDBACK ON FACILITIES (2021-2022)

Mon	halubo	Conti	100 No. 812	54183833				
	~	/						
Student	Student Alumni		Par	ent		Staff		
Scale	1		2	3	4	5		
Descriptors	Poor	Satisf	factory	Good	Very Good	Excellent		

		Rating						
S.No	How would you rate the following?	1	2	3	4	5		
1	Campus Maintenance					~		
2	Usage of ICT facilities in the classrooms				~			
3	Canteen facilities: Food Quality, Ambience and Support Staff				~			
4	Do the girls feel secure on the campus					~		
5	Drinking water facility					~		
6	Washroom Cleanliness and Maintenance					~		
7	Sports facilities in the college				~			
8	Transportation provided by the college adequate				~			
9	Were the laboratories/ workshops adequately equipped and properly maintained					~		
10	The overall environment of the college					~		

NAME: Momin Shahber DEPARTMENT: Electrical

Institute
Code 5411
Code 5

MAULANA MUKHTAR AHMAD NADVI TECHNICAL CAMPUS

Approved by AICTE, New Delhi Recognised by DTE, Mumbai & Govt. of Maharashtra Affiliated to Savitribai Phule Pune University, Pune Mansoora P.O.Box. No.144, Malegaon, Dist. Nashik Pin: 423203 (MS) | Contact : +91-9028254526 Email: info@mmante.edu.in | www.mmante.edu.in



FEEDBACK ON FACILITIES (2021-2022)

Name: Shaikh Parvez				Conta	ct No:	814	998818	
Student	Alu	ımni Parei		ent		Staff		
		2000						
Scale	1	2		3	4		5	
Descriptors	Poor	Satisfactory		Good	Very G	ood	Excellent	

		Rating						
S.No	How would you rate the following?	1	2	3	4	5		
1	Campus Maintenance				~			
2	Usage of ICT facilities in the classrooms					/		
3	Canteen facilities: Food Quality, Ambience and Support Staff				/			
4	Do the girls feel secure on the campus					/		
5	Drinking water facility				/			
6	Washroom Cleanliness and Maintenance					V		
7	Sports facilities in the college				/			
8	Transportation provided by the college adequate			~				
9	Were the laboratories/ workshops adequately equipped and properly maintained							
10	The overall environment of the college					~		

MALEGAON,

NAME: Shaikh Parvez DEPARTMENT: Mechanical

Approved by AICTE, New Delhi Recognised by DTE, Mumbai & Govt. of Maharashtra Affiliated to Savitribai Phule Pune University & MSBTE, Mumbai Mansoora P.O.Box. No.144, Malegaon Dist. Nashik Pin: 423203 (MS) | Telefax: 02554-239097 Email: info@mmantc.edu.in | www.mmantc.edu.in



Minutes of IQAC Meeting in Academic year 2021-22

Name of the Stakeholder: - Parents

To bring the feedback of their attention and ask if there is chance for meaningful adjustments to be made to college facilities, the IQAC convened a meeting with all of the in-charges and HoD's under head of institutions.

Parents feedback above 70% is the positive feedback and below it is considered negative feedback and we are working for the environment.

Sr.No.	Query	Feedback response	Percentage Consensus	Action to be taken
1	Campus Maintenance	Good	70%	We will take suggestions into account to move towards the betterment of the same.
2	Usage of ICT facilities in the classrooms	Good	70%	We will take suggestions into account to move towards the betterment of the same.
3	Canteen facilities: Food Quality, Ambience and Support Staff	Good	70%	We will continue with same rigor, and ensure proper hygiene and cleanliness of high standards by conduct of regular periodic inspection.
4	Do the girls feel secure on the campus	Very Good	80%	We will continue with same rigor towards betterment of the same.
5	Drinking water facility	Very Good	80%	We will take suggestions into account to move towards the betterment of the same.
6	Washroom Cleanliness and Maintenance	Very Good	80%	We will take suggestions into account to move towards the betterment of the same.
7	Sports facilities in the college	Good	70%	By taking suggestion into account our procedure will continue to be more effective.
8	Transportation provided by the college adequate	Very Good	75%	By taking suggestion into account our procedure will continue to be more effective.
9	Were the laboratories/ workshops adequately equipped and properly maintained	Good	70%	We will take suggestions into account to move towards the betterment of the same.
10	The overall environment of the college	Very Good	75%	We will continue with same rigor to increase the production.

IQAC Coordinator
Maulana Mukhtar Ahmad Nadvi
Technicai Campus,
Malegaon Dist. Nashik -423200



PRINCIPAL

JAULANA MUKHTAR AHMAD NADVI TECHINICAL

CAMPUS MALEGAON DIS Nashik



Mansoora P.O.Box. No.144, Malegaon Dist. Nashik Pin: 423203 (MS) | Telefax: 02554-239097 Email: info@mmantc.edu.in | www.mmantc.edu.in



Minutes of IQAC Meeting in Academic year 2021-22

Name of the Stakeholder: - Alumni

To bring the feedback of their attention and ask if there is chance for meaningful adjustments to be made to college facilities, the IQAC convened a meeting with all of the in-charges and HoD's under head of institutions.

Alumni feedback above 70% is the positive feedback and below it is considered negative feedback and we are working for the environment.

Sr.No.	Query	Feedback response	Percentage Consensus	Action to be taken
1	Campus Maintenance	Very Good	75%	We will take suggestions into account to move towards the betterment of the same.
2	Usage of ICT facilities in the classrooms	Very Good	75%	We will take suggestions into account to move towards the betterment of the same.
3	Canteen facilities: Food Quality, Ambience and Support Staff	Very Good	75%	We will continue with same rigor, and ensure proper hygiene and cleanliness of high standards by conduct of regular periodic inspection.
4	Do the girls feel secure on the campus	Very Good	75%	We will continue with same rigor towards betterment of the same.
5	Drinking water facility	Good	70%	We will take suggestions into account to move towards the betterment of the same.
6	Washroom Cleanliness and Maintenance	Very Good	80%	We will take suggestions into account to move towards the betterment of the same.
7	Sports facilities in the college	Good	70%	By taking suggestion into account our procedure will continue to be more effective.
8	Transportation provided by the college adequate	Very Good	75%	By taking suggestion into account our procedure will continue to be more effective.
9	Were the laboratories/ workshops adequately equipped and properly maintained	Very Good	75%	We will continue with same rigor to increase the production.
10	The overall environment of the college	Very Good	80%	We will continue with same rigor to increase the production.

IQAC Coordinator
Maulana Mukhtar Ahmad Nadvi

Technical Campus, Mategaon Dist. Nashik -423203



PRINCIPAL

1AULANA MUKHTAR AHMAD NADVI TECHINICAL
CAMPUS MALEGAON DIS Nashik

Approved by AICTE, New Delhi Recognised by DTE, Mumbai & Govt. of Maharashtra Affiliated to Savitribai Phule Pune University & MSBTE, Mumbai Mansoora P.O.Box. No.144, Malegaon Dist. Nashik Pin: 423203 (MS) | Telefax: 02554-239097 Email: info@mmantc.edu.in | www.mmantc.edu.in



Minutes of IQAC Meeting in Academic year 2021-22

Name of the Stakeholder: - Student

To bring the feedback of their attention and ask if there is chance for meaningful adjustments to be made to college facilities, the IQAC convened a meeting with all of the in-charges and HoD's under head of institutions.

Students feedback above 70% is the positive feedback and below it is considered negative feedback

Sr.No.	Query	Feedback response	Percentage Consensus	Action to be taken
1	Campus Maintenance	Good	70%	We will take suggestions into account to move towards the betterment of the same.
2	Usage of ICT facilities in the classrooms	Very Good	75%	We will take suggestions into account to move towards the betterment of the same.
3	Canteen facilities: Food Quality, Ambience and Support Staff	Good	70%	We will continue with same rigor, and ensure proper hygiene and cleanliness of high standards by conduct of regular periodic inspection.
4	Do the girls feel secure on the campus	Very Good	85%	We will continue with same rigor towards betterment of the same.
5	Drinking water facility	Good	70%	We will take suggestions into account to move towards the betterment of the same.
6	Washroom Cleanliness and Maintenance	Very Good	75%	We will take suggestions into account to move towards the betterment of the same.
7	Sports facilities in the college	Good	70%	We will take suggestions into account to move towards the betterment of the same.
8	Transportation provided by the college adequate	Good	70%	We will take suggestions into account to move towards the betterment of the same.
9	Were the laboratories/ workshops adequately equipped and properly maintained	Very Good	80%	We will continue with same rigor to increase the production.
10	The overall environment of the college	Very Good	80%	We will continue with same rigor to increase the production.

IQAC Coordinator
Maulana Mukhtar Ahmad Nadvi
Technical Campus,
Malegaon Dist. Nashik -423203



PRINCIPAL

1AULANA MUKHTAR AHMAD NADVI TECHINICAL
CAMPUS MALEGAON DIS Nashik

Approved by AICTE, New Delhi Recognised by DTE, Mumbai & Govt. of Maharashtra Affiliated to Savitribai Phule Pune University & MSBTE, Mumbai Mansoora P.O.Box. No.144, Malegaon Dist. Nashik Pin: 423203 (MS) | Telefax: 02554-239097 Email: info@mmantc.edu.in | www.mmantc.edu.in



Minutes of IQAC Meeting in Academic year 2021-22

Name of the Stakeholder: - Staff

To bring the feedback of their attention and ask if there is chance for meaningful adjustments to be made to college facilities, the IQAC convened a meeting with all of the in-charges and HoD's under head of institutions.

Staff feedback above 70% is the positive feedback and below it is considered negative feedback and we are working for the environment.

Sr.No.	Query	Feedback response	Percentage Consensus	Action to be taken
1	Campus Maintenance	Very Good	80%	We will continue with same rigor to move towards betterment of the same.
2	Usage of ICT facilities in the classrooms	Good	70%	We will take suggestions into account to move towards the betterment of the same.
3	Canteen facilities: Food Quality, Ambience and Support Staff	Very Good	80%	We will continue with same rigor, and ensure proper hygiene and cleanliness of high standards by conduct of regular periodic inspection.
4	Do the girls feel secure on the campus	Good	70%	We will take suggestions into account to move towards the betterment of the same.
5	Drinking water facility	Excellent	90%	We will continue with same rigor to increase the production.
6	Washroom Cleanliness and Maintenance	Very Good	75%	We will continue with same rigor to starve for the betterment of the same.
7	Sports facilities in the college	Good	70%	By taking suggestion into account our procedure will continue to be more effective.
8	Transportation provided by the college adequate	Good	70%	By taking suggestion into account our procedure will continue to be more effective.
9	Were the laboratories/ workshops adequately equipped and properly maintained	Very Good	85%	We will continue with same rigor to increase the production.
10	The overall environment of the college	Good	70%	We will take suggestions into account to move towards the betterment of the same.

#

IQAC Coordinator Maulana Mukhtar Ahmad Nadण Technical Campus, Malegaon Dist. Nashik -423203



PRINCIPAL

MAULANA MUKHTAR AHMAD NADVI TECHINICAL

CAMPUS MALEGAON DIS Nashik